

Baltimore County Public Schools

Dr. Joe A. Hairston, Superintendent
J. Robert Haines, Esquire, Deputy Superintendent

Department of Physical Facilities

Michael G. Sines, Executive Director
William Wingerd, Administrator, Office of Operations
Dennis N. Elkins, Administrator, Office of Maintenance and Grounds
J. Kurt Buckler, PE, Administrator, Office of Engineering and Construction

Report on Safety and Security Issues



Baltimore County Public Schools

Report on Safety and Security Issues

Preface

Under the direction of the Superintendent of Schools, Dr. Joe A Hairston, and in response to a request by Board members, the following report is intended to:

- **Provide a report on Safety and Security Issues**

Table of Contents

Baltimore County Public Schools (BCPS) Safety and Security

Department Of Student Support Services	1
Role.....	1
Safe School Facilitator	1
Safe and Drug-Free Schools	1
Department Of Physical Facilities	2
Office of Maintenance and Grounds.....	2
Organizational Chart of the Safety/Security/Customer Service Section	3
Overview of Facilities	4
Safety and Security Section	5
Mission Statement.....	5
How the Mission is Accomplished	5
Measures of Success	8
Tools Utilized to Accomplish Mission.....	8
Closed Circuit Television (CCTV)	9
Card Access Systems	9
Security and Fire Alarm Systems	10
Customer Service Staff	10
Executive Proposals	11
Appendix	13
Statewide Relocatable Classroom Listing	
School Closing Tracking Report for School Years 04/05 through 08/09	
Closed Circuit Television (CCTV) Location Listing	
Electronic Card Reader Location Listing	
School Resource Officer (SRO) Distribution	

Department of Student Support Services

Role

The Department of Student Support Services coordinates, develops, and delivers services/programs that contribute to the development of children, provide support of families, and assists in the improvement of schools. These services emphasis prevention and intervention support systems enhanced through the use of appropriate resources and community partnerships. The ultimate purpose of the department is to coordinate efforts that focus upon students' health, social, value/character, emotional, and behavioral development in reducing barriers to learning which enable all students to achieve.

The Executive Director of Student Support Services provides leadership, advice and assistance to system staff in delivering services in the following areas: alternative programs, summer school and dropout prevention, pupil personnel services, psychological services, and safe and drug-free schools. The Executive Director is charged with the responsibility to design and implement a system framework for the delivery of these services. The Executive Director also ensures that the roles and responsibilities of departmental coordinators are executed in accordance with school system policies, procedures, and curriculum guidelines.

In accordance with Performance Goal 4 of the *Blueprint for Progress*, the Executive Director provides leadership to ensure strategy “e”, “Continue inter-department and inter-agency teams to implement schoolwide Safety and Emergency Plans and the countywide Critical Response Plan and Emergency Safety Management Guide.”

Safe Schools Facilitator

Captain Thomas Busch, the Safe Schools Facilitator, is the liaison for the Police Department with the Office of Safe and Drug-Free Schools, the Department of Student Support Services, and the school system. He works closely with the staff in coordinating all programs and services provided to the school system provided by the Police Department. This interagency partnership is designed to help ensure the maintenance of safe and orderly learning environment in all schools. Captain Busch also serves as the liaison with the Fire Department in helping the school system develop the best emergency management plans so that all interagency partners will know exactly how they are to respond if there is ever a crisis in any of our schools or offices.

The school system also enjoys an effective interagency partnership with the Department of Health's Bureau of Substance Abuse. Programs designed to prevent destructive decision making by students, prevention and interventions when students use/abuse drugs, and parent and community programs designed to prevent and intervene with drug use/abuse are coordinated collaboratively with the Office of Safe and Drug-Free Schools and the Bureau of Substance Abuse.

Safe and Drug-Free Schools

The goal of the Office of Safe and Drug-Free Schools is to coordinate prevention and intervention plans and programs designed to help ensure the maintenance of the safe and drug-free schools by using all resources effectively and efficiently so that student achievement will be improved for all students. To achieve this goal we must work collaboratively with school system staff, our interagency partners, community members, and parents. Our objectives are to promote increased focus on behavior management through the implementation of character education and behavior management plans, to coordinate and monitor the implementation of programs designed to teach students how to make good decisions, to coordinate initiatives to help prevent, intervene with, and support students who may choose to make destructive decisions, and to monitor the use of grant funds to make sure students benefit from services provided to support them.

Listed below are some of the plans and programs that are coordinated collaboratively by the three interagency partners to keep students safe and drug-free:

- Students Against Destructive Decisions Program (SADD)
- Drug Abuse Resistance Education Program (DARE)
- School Resource Officers Program (SRO)
- Maryland Student Assistance Program (MSAP)
- Juvenile Offenders In Need of Supervision Program (JOINS)
- Health Education Curriculum
- Ninth Grade Social Studies Curriculum
- The Police Department School's Unit, Grades K-7
- After-Prom Parties Program
- Parenting Programs
- Behavior Management and Emergency Management Plans
- Health and Wellness Fairs

Department of Physical Facilities

The Department of Physical Facilities is responsible for the physical management of 162 schools and 10 centers housing approximately 104,000 students, along with 16 administrative, maintenance, grounds, warehouse, and transportation buildings.


Office of Maintenance and Grounds

The Office of Maintenance and Grounds is responsible for providing essential services to all Baltimore County Public Schools (BCPS) buildings. The focus of this office is timely customer service which includes, but is not limited to, electrical, mechanical, plumbing, relocatable repairs, environmental repairs, contract management, grounds beautification, snow removal, and blacktop and concrete repairs. This office focuses on providing services that support the Superintendent's *Blueprint for Progress* and mission statement. An average of 20,000 requests for service is received yearly.

Department of Physical Facilities

Office of Maintenance and Grounds

Safety & Security/Customer Service Section




07/08/08

Overview of Facilities

As depicted in the chart below, there are a total of 225 buildings with a total of 15,740,233 square feet of space, 4,000 acres of land, and 209 relocatable units within the Baltimore County Public School system. Each of the eleven Security Patrol Officers is responsible for 1,430,930 square feet. During non-emergency related activities these officers have the ability to proactively visit 70 – 105 buildings per week.

The Safety and Security Section is primarily responsible for monitoring the safety and security of all BCPS buildings and land to assure the most conducive learning environment for every student.

Overview of Facilities



Safety/Security/Customer Service Section

Mission Statement

To meet the Superintendents *Blueprint for Progress* goal of "...maintaining a safe and orderly learning environment in every school."

How the Mission is Accomplished

The Safety/Security/Customer Service Section collects information from numerous sources and forwards that information to the correct resource to ensure the overall operational capacity for BCPS facilities. All sources of information are processed through the Security/Customer Service Call Center located at the Pulaski Park facility. The Call Center is staffed 24 hours a day, 365 days a year. Information is secured through:

- Contact by school based personnel
- Electronic signals from building fire alarm systems
- Electronic signals from building security alarm systems
- Electronic images from building Closed Circuit Television (CCTV) Systems
- MicroMain Computerized Maintenance Management System (CMMS)
- Baltimore County Police Department (BCPD)

Central Call Center staff is contacted by school personnel for all emergency maintenance situations and appropriate personnel are contacted to abate the issue



Central Call Center Staff receive all fire and security alarms and they contact the appropriate personnel



As information is received by the Call Center Personnel they notify the appropriate resource. Some examples of the various types of information received are:

- Break-ins
- Vandalism
- Plumbing, mechanical, and/or electrical problems
- Hazardous material spills in buildings or general vicinity
- Weather-related situations including downed trees, power outages, water problems, and fire and security emergencies.

During school hours, the primary source of information is received by school-based personnel through either direct contact with the Call Center for emergent issues, which affect the operation of the building, or through the MicroMain CMMS system for non-emergent/routine maintenance needs. Emergent issues are communicated to the appropriate personnel via the use of a cellular telephone paging system assuring the most efficient response.

During non-school hours, the primary source of information is received electronically through the security and fire alarm systems. All security and fire alarm system signals flow through the Call Center. Upon receipt of security or fire alarm activation information, the Call Center personnel will contact and request the dispatch of either the Baltimore County Police Department (BCPD) or the Baltimore County Fire Department (BCFD). In addition, we also deploy our own Security Patrol Officer to the site to act as our initial BCPS representative.

In addition to emergent situations as described above, the second and third shift Security Patrol Officers main responsibility is to conduct school building inspections. The patrol officers begin with an exterior building check which consists of walking the perimeter of the building, verifying the security of all windows and doors, and looking for any other suspicious situations.

Each school visit begins with a security verification of the perimeter of the building.



After the exterior check, the patrol officer enters the building and walks the interior verifying the security of all windows and doors, and looking for any other suspicious situations. As the patrol officer tours the building, items such as HVAC equipment, plumbing, and electrical components are monitored.

Security Patrolman continue the security verification process inside the building



With full staffing, 70 to 105 buildings can be toured per week between other emergency calls. An added value of the building tours is the creation of a 24 hour Security Report issued by security personnel. This report alerts the Office of Maintenance of any irregularities that are discovered. In addition, the Safety/Security/Customer Service section advised the administrators of each school visited, via email, of the security check results. This has been a well received and extremely helpful tool for the principals to address any operational faults in a timely fashion. Examples of operational faults are windows or doors left open and/or unlocked.

Findings from security verifications are summarized and communicated to school based administrators

- OCTOBER 28, 2008 WARREN ES #65- Unit 49 responded to location at 2030hrs for a power outage. Upon Unit 49 arrival he observed checked the BGE meter and all three phases were out to the school. Unit 49 reported that the custodians were still at the school during his check of the location. All was secured at this time. (William Wingerd, Andy Gall)

Finally, the department tracks what is found during the walkthroughs on a spreadsheet, thereby accumulating data that can be used to identify trends and to begin to measure the success of the information sharing with school administrators.

All security verification findings are tracked

SCHOOL REPORT		SECURITY RESPONSE (R)	INTERIOR DOOR OPEN (IDO)	EXTERIOR DOOR OPEN (EDO)	WINDOW UNLOCK (WU)	BROKEN WINDOW (B/W)	WINDOW OPEN (WO)
NW	WELLWOOD ES	E	S				
SW	CATONSVILLE HS	H	S	1			
SE	PATAPSCO HS	H	S	1			1
CN	PLEASANT PLAINS ES	E	S				1
SE	SANDY PLAINS ES	E	S	1			
							1

The Safety/Security/Customer Service section also operates, maintains, and repairs security/fire alarm systems, CCTV systems, card access systems, and door monitoring entry systems. This is accomplished utilizing both in-house and contractual services.

Measures of Success

The Safety/Security/Customer Service section utilizes the following information to determine the overall system-wide security:

- Tracking the number of open/unlocked windows and doors found by the Security Patrolman staff.
- Comparing the frequency of insurance claims caused by vandalism, break-ins, and graffiti filed from one year to the next.
- Number of police reports filed.
- Feedback from the principals via the use of a newly instituted “Quality Control Survey.” This survey captures the prioritization and quality of all maintenance efforts as well as our response to safety/security related situations.

Tools Utilized to Accomplish Mission

The four primary tools that are utilized to accomplish the mission are CCTV systems, card access systems, security/fire alarm systems and the Customer Service staff. These are described in more detail below.

Closed Circuit Television (CCTV) systems

The middle and high school environments present the greatest challenge for building misuse and damage. This is based on the maintenance work order numbers, the number of the Baltimore County Police reports, and our own internal Security reports. There are currently 59 middle and high school buildings that possess both internal and external video camera systems. (Refer to the appendix for a complete listing of schools.) The majority of these cameras were installed using \$3.2 million of capital funding over the last three years. The location and placement of these cameras within each school was determined in cooperation with the school administration and the School Resource Officers (SRO) located in the individual buildings.

During the school day, these cameras are utilized by the school administrative staff and the School Resource Officers to help monitor activities. In addition, the CCTV systems have the capability of storing images for up to three weeks. This feature is often used by the schools to determine the facts concerning an event that has occurred in the recent past.

Furthermore, there are 35 cameras that monitor elementary school playgrounds. (Refer to the appendix for a complete listing of schools.) The elementary schools selected for these cameras were prioritized in cooperation with the Baltimore County Police Department based on an incident analysis. The focus is on the outside playground to protect the children from a threat of abduction and abuse. This effort was funded with a Federal COP Grant applied through the Baltimore County Police Department.

In all cases, the CCTV images can be viewed from the Call Center location as well as at the specific school where the equipment is located. This allows for the viewing of these cameras at any time.

Card Access Systems

The card access systems installed within our buildings serve to keep the doors secure while allowing continuous access through the doors. (Refer to the appendix for a complete listing of schools.) The doors are always locked to keep the building secure, but, as people need to enter and exit the door, they use a swipe card to gain access. The doors are electronically unlocked for a specific amount of time to allow entry and then relock when the door closes. This system provides information on who entered a specific door and if a card is lost or stolen, it can be rendered inoperable easily and inexpensively. A door with a key lock would require replacement to assure the security of that door. Most of these card readers are installed on doors leading to our relocatable classrooms or to staff parking lots located away from the main entrance.

Security and Fire Alarm Systems

All BCPS buildings have both a security and a fire alarm system. The components for a typical security system include a combination of door contacts, motion detectors, and main door entry buzz-in systems. Security systems are activated when the buildings are unoccupied. Front door access systems are operable at all times. Once the security system is activated, all signals are electronically sent to the Call Center personnel. As necessary, these personnel determine what action steps need to be taken to react to the information received.

The components for a fire system include hand pull stations, audible fire alarm devices, visual alarm devices, smoke detector devices, fire doors, and sprinkler systems. Every fire system, once activated, sends an electronic signal to the Call Center personnel who then determine what action steps are necessary.

The reliability of both the security and fire alarm systems is critical to assure the protection of the buildings. The Safety/Security/Customer Service section has the responsibility for maintaining these systems. Integral to the maintenance efforts are frequent system preventative maintenance inspections performed by both internal maintenance personnel and by contractors. In addition, BCPS' insurance company, the State, and the local Fire Marshall's office perform inspections to assure the operation of these systems. The Safety/Security/ Customer Service section is responsible for monitoring these inspections and to correct any deficiencies discovered.

Customer Service Staff

A critical part of the Safety/Security/ Customer Service section are the five Customer Service Representatives on staff. Each representative is assigned to approximately 32 schools and they act as the liaison between the schools and the Office of Maintenance. They visit each of their assigned schools on a rotating basis and review all of the open work orders with the school staff. Through an open dialogue, they listen to the staff's concerns. They note the priorities communicated and they then communicate this information directly to the specific Senior Operations Supervisor as appropriate. They are in essence the advocate for the school. In addition, the Customer Service staff performs preventative maintenance inspections and, as needed, information is entered into the CMMS. One member of this team also supports the Call Center during the first shift. They are an integral part in assuring clear communication between the school staff and the Office of Maintenance.

Executive Proposals

Essential Elementary to Ensure Continued Success

- Maintain focus according to the Superintendent's *Blueprint for Progress* goal of "...maintaining a safe and orderly learning environment in every school" by striving to identify continuous improvement opportunities.
- Continue and enhance the partnerships with the Department of Student Support Services, including the Safe School Facilitator and the Safe and Drug-Free Schools staff to assure the highest level of safety and security for all BCPS students and staff.
- Continue to work collaboratively with all BCPS offices and schools to communicate areas of concern and implement remedial actions to lessen or abate future incidents.
- Continue to collect system wide security information and analyze data. As the data dictates, formulate safety and security initiatives to decrease incidents.
- Continue the enhancement of CCTV systems throughout the BCPS as future incident analysis warrants.

Appendix

Statewide Relocatable Classroom Listing
School Closing Tracking Report for School Years 2004/2005 through 2008/2009
Closed Circuit Television (CCTV) Location Listing
Electronic Card Reader Location Listing
School Resource Officer (SRO) Distribution
Emergency Procedures Guide

PUBLIC SCHOOL CONSTRUCTION PROGRAM
Number of Relocatable Classrooms as of November 2008

SCHOOL SYSTEM	STATE-OWNED	LOCAL-OWNED	LOCAL LEASED OR OTHER	TOTAL
Allegany	0	2	0	2
Anne Arundel	0	245	0	245
Baltimore County	32	207	42	281
Calvert	10	99	11	120
Caroline	2	16	0	18
Carroll	0	124	0	124
Cecil	0	60	8	68
Charles	61	183	2	246
Dorchester	2	6	0	8
Frederick	4	153	28	185
Garrett	0	0	14	14
Harford	12	91	2	105
Howard	2	187	0	189
Kent	0	0	0	0
Montgomery	15	72	448	535
Prince George's	19	469	0	488
Queen Anne's	0	25	26	51
St. Mary's	33	81	0	114
Somerset	3	10	0	13
Talbot	0	10	0	10
Washington	1	79	0	80
Wicomico	0	71	0	71
Worcester	0	51	0	51
Baltimore City	0	258	17	275
TOTAL 2008	196	2499	598	3293
Total 2007	202	2422	614	3238
Total 2006	202	2223	654	3079
Total 2005	202	2056	728	2986
Total 2004	212	2050	656	2918

2005/2006 Date	Facility	Reason for Closure	Portion of Day Interrupted	<u>End Notes</u>	<u>Electric</u>	<u>Water</u>	<u>BCPS</u>	<u>Weather</u>
08/31/05	Glenmar Elementary	Gas Leak	Closed at 10:00 a.m.	1				
08/31/05	Overlea High	No Water	Closed at 12:00 noon			1		
09/14/05	General John Stricker Middle	No Air Conditioning	Closed at 12:00 noon				1	
09/15/05	General John Stricker Middle	No Air Conditioning	Closed at 12:00 noon				1	
09/23/05	General John Stricker Middle	No Air Conditioning	Closed at 12:30 noon				1	
09/26/05	Patapsco High School	Evacuation	Closed at 1:00 p.m.	2				
10/07/05	General John Stricker Middle	No Air Conditioning	Closed at 12:30 noon				1	
10/19/05	Fifth District Elementary	Electrical Outage	Closed at 11:45 a.m.		1			
10/25/05	Relay Elementary	Power Outage	Closed at 12:00 noon		1			
11/21/05	Deer Park Magnet Middle	Damage to the Building	Closed at 8:30 a.m.	3				
12/05/05	Lansdowne Middle	Power Outage	Closed		1			
12/05/05	All Schools	Weather	Closed 1 hour early					1
12/06/05	All Schools	Weather	Opened 2 hours late					1
12/09/05	All Schools	Weather	Closed					1
12/15/05	All Schools	Weather	Closed					1
12/15/05	Sandalwood Elementary	Water Main Break	Closed			1		1
12/15/05	Deep Creek Middle	Water Main Break	Closed			1		1
01/09/06	Sparrows Point Middle	Water Main Break	Closed 1:15 p.m.			1		
01/09/06	Edgemere Elementary	Water Main Break	Closed 2:10 p.m.			1		
01/09/06	Sparrows Point High	Water Main Break	Closed 12:45 p.m.			1		
01/09/06	Chesapeake Terrace Elementary	Water Main Break	Closed 1:45 p.m.			1		
01/12/06	Catonsville Middle	Power Outage	Closed at 11:45 a.m.		1			
01/24/06	All Schools	Weather	Opened 2 hours late					1
02/14/06	All Schools	Weather	Closed					1
03/03/06	Shady Spring Elementary-Pre-K	Water Damage	Afternoon Pre-K only			1		
04/18/06	Hereford High School	No Water	Closed at 1:45 p.m.			1		
04/19/06	Hereford High School	No Water	Closed			1		
06/02/06	Chapel Hill Elementary	Power Outage	Closed		1			
06/02/06	Colgate Elementary	Power Outage	Closed		1			
06/02/06	Dumbarton Middle	Power Outage	Closed		1			
06/02/06	Golden Ring Middle	Power Outage	Closed		1			
06/02/06	Randallstown High	Power Outage	Closed		1			

2005/2006 Date (continued)	Facility	Reason for Closure	Portion of Day Interrupted	<u>End Notes</u>	<u>Electric</u>	<u>Water</u>	<u>BCPS</u>	<u>Weather</u>
06/02/06	Fort Garrison Elementary	Power Outage	Closed at 10:00 a.m.		1			
06/06/06	Woodlawn High	Smoke in building	Closed at 12:00 noon	4				
06/12/06	Riverview Elementary	Water Main Break	Closed at 10:30 a.m.			1		
06/12/06	Lansdowne Middle	Water Main Break	Closed at 10:00 a.m.			1		
06/12/06	Lansdowne High	Water Main Break	Closed at 10:30 a.m.			1		
Total			TOTALS	10	10	13	4	8
1. Gas leak caused by contractor working on the Mirimar Housing Project 2. Evacuation 3. Vandalism to the building								
4. Investigating smoke in the building								

2006/2007 Date	Facility	Reason for Closure	Portion of Day Interrupted	<u>End Notes</u>	<u>Electric</u>	<u>Water</u>	<u>BCPS</u>	<u>Weather</u>
09/08/06	Lansdowne Middle	Power Outage	Closing at 12:30 p.m.		1			
09/14/06	Woodlawn High	Fire	Closing at 10:00 a.m.	1				
09/15/06	Deep Creek Middle	Water Main Break	Closing at 10:30 a.m.			1		
09/15/06	Sandalwood Elementary	Water Main Break	Closing at 10:45 a.m.			1		
09/29/06	Chase Elementary	Water Main Break	Closing at 12:00 noon			1		
09/29/06	Oliver Beach Elementary	Water Main Break	Closing at 12:00 noon			2		
09/29/06	Hawthorne Elementary	Water Main Break	Closing at 9:00 a.m.			1		
01/03/07	Gunpowder Elementary	No Electricity	Closing at 9:30 a.m.		1			
01/03/07	Gunpowder Elementary	No Electricity	Closed all day		1			
01/22/07	All Schools	Snow	Opening 2 hours late					1
02/06/07	Milford Mill Academy	No Heat	Closed at 12:30 p.m.				1	
02/13/07	All Schools	Snow	Closed 3 hours early					1
02/14/07	All Schools	Snow	Closed					1
02/15/07	All Schools	Snow	Closed					1
02/16/07	All Schools	Snow	Opening 1 hour late					1
02/21/07	Hereford Zone	Ice	Opening 1 hour late					1
02/22/07	Hereford Zone	Ice	Opening 1 hour late					1
02/23/07	Halethorpe Elementary	No Water	Closed at 12:00 p.m.			1		
02/26/07	All Schools	Snow	Opening 2 hours late					1
02/26/07	Halethorpe Elementary	No Power	Closed at 12:00 noon		1			
03/06/07	Chesapeake Terrace Elementary	No Power	Closed		1			

2006/2007 Date (continued)	Facility	Reason for Closure	Portion of Day Interrupted	<u>End Notes</u>	<u>Electric</u>	<u>Water</u>	<u>BCPS</u>	<u>Weather</u>
03/07/07	All Schools	Snow	Closed					1
03/16/07	All Schools	Inclement Weather	Closed 2 hours early					1
04/16/07	Arbutus Elementary	No Power	Closed 1 hour early		1			
04/16/07	Arbutus Middle	No Power	Closed 1 hour early		1			
04/16/07	Baltimore Highlands Elementary	No Power	Closed 1 hour early		1			
04/16/07	Bridge Center	No Power	Closed 1 hour early		1			
04/16/07	Catonsville Center for Alt Studies	No Power	Closed 1 hour early		1			
04/16/07	Catonsville Elementary	No Power	Closed 1 hour early		1			
04/16/07	Catonsville High	No Power	Closed 1 hour early		1			
04/16/07	Catonsville Middle	No Power	Closed 1 hour early		1			
04/16/07	Chadwick Elementary	No Power	Closed 1 hour early		1			
04/16/07	Dogwood Elementary	No Power	Closed 1 hour early		1			
04/16/07	Edmondson Heights Elementary	No Power	Closed 1 hour early		1			
04/16/07	Featherbed Lane Elementary	No Power	Closed 1 hour early		1			
04/16/07	Halethorpe Elementary	No Power	Closed 1 hour early		1			
04/16/07	Hebbville Elementary	No Power	Closed 1 hour early		1			
04/16/07	Hillcrest Elementary	No Power	Closed 1 hour early		1			
04/16/07	Johnnycake Elementary	No Power	Closed 1 hour early		1			
04/16/07	Lansdowne Elementary	No Power	Closed 1 hour early		1			
04/16/07	Lansdowne High	No Power	Closed 1 hour early		1			
04/16/07	Lansdowne Middle	No Power	Closed 1 hour early		1			
04/16/07	Maiden Choice School	No Power	Closed 1 hour early		1			
04/16/07	Meadowood Education Center	No Power	Closed 1 hour early		1			
04/16/07	Powhatan Elementary	No Power	Closed 1 hour early		1			
04/16/07	Relay Elementary	No Power	Closed 1 hour early		1			
04/16/07	Riverview Elementary	No Power	Closed 1 hour early		1			
04/16/07	Southwest Academy	No Power	Closed 1 hour early		1			
04/16/07	Westchester Elementary	No Power	Closed 1 hour early		1			
04/16/07	Western School of Technology	No Power	Closed 1 hour early		1			
04/16/07	Westowne Elementary	No Power	Closed 1 hour early		1			
04/16/07	Woodbridge Elementary	No Power	Closed 1 hour early		1			
04/16/07	Woodlawn High	No Power	Closed 1 hour early		1			

<u>2006/2007 Date (continued)</u>	<u>Facility</u>	<u>Reason for Closure</u>	<u>Portion of Day Interrupted</u>	<u>End Notes</u>	<u>Electric</u>	<u>Water</u>	<u>BCPS</u>	<u>Weather</u>
04/16/07	Woodlawn Middle	No Power	Closed 1 hour early		1			
04/16/07	Woodmoor Elementary	No Power	Closed 1 hour early		1			
04/16/07	Hereford High	No Power	Closed at 10:15 a.m.		1			
04/17/07	Woodlawn Middle	No Heat	Closed at 12:45 p.m.				1	
04/17/07	Old Court Middle	No Heat	Closed at 12:45 p.m.				1	
04/19/07	Old Court Middle	No Heat	Closed at 1:45 p.m.				1	
05/01/07	Church Lane Elementary	No Water	Closed at 12:30 p.m.			1		
05/04/07	Sudbrook Magnet Middle School	Police Investigation	Closed at 1:30 p.m.	2				
06/11/07	Winsor Mill Middle School	No Power	Closed at 9:30 a.m.		1			
			TOTALS	3	39	8	4	10
1. Fire in girls' lavatory								
2. Police Investigation								

<u>2007/2008 Date</u>	<u>Facility</u>	<u>Reason for Closure</u>	<u>Portion of Day Interrupted</u>	<u>End Notes</u>	<u>Electric</u>	<u>Water</u>	<u>BCPS</u>	<u>Weather</u>
09/04/07	Hernwood Elementary	Power Outage	10:00 a.m.		1			
10/08/07	Sandy Plains Elementary	Power Outage	10:00 a.m.		1			
10/09/07	Deer Park Elementary	Power Outage	12:00 p.m.		1			
10/24/07	Milbrook Elementary	Power Outage	12:30 p.m.		1			
12/17/07	Arbutus Elementary	Fire Near School	10:30 a.m.	1				
01/18/08	Prettyboy Elementary	No Heat	10:00 a.m.		1			
01/29/08	Randallstown Elementary	No Heat	All Day		1			
03/10/08	Lutherville Laboratory	No Water	All Day			1		
04/03/08	Towson High	Power Outage	12:00 p.m.		1			
05/12/08	Timonium Elementary	Power Outage	9:30 a.m.		1			
06/11/08	Sudbrook Magent Middle	Renovations	All Day				1	
06/11/08	Deep Creek Middle	Renovations	All Day				1	
05/09/08	Pikesville Middle	Renovations	All Day				1	
06/11/08	Loch Raven Academy	Renovations	All Day				1	
06/11/08	Cockeysville Middle	Renovations	All Day				1	
06/11/08	Hereford Middle	Renovations	All Day				1	
			TOTALS	1	8	1	7	0

2008/2009 Date	Facility	Reason for Closure	Portion of Day Interrupted	Bulletin Issue	<u>End Notes</u>	<u>Electric</u>	<u>Water</u>	<u>BCPS</u>	<u>Weather</u>
8/27/08	Westowne ES	Water main break	12:45	Vol. IX, No. 13			1		
9/23/08	Halethorpe ES	Water main break	1:30	Vol. IX, No. 20			1		
9/25/08	Logan ES	Power outage	11:00	Vol. IX, No. 21		1			
10/1/08	Halstead Academy	Water main break	9:15	Vol. IX, No. 24			1		
11/6/08	Shady Spring ES	No water	11:00	Vol. IX, No. 35			1		
11/6/08	Golden Ring MS	No water	10:30	Vol. IX, No. 35			1		
11/6/08	Overlea HS	No water	10:00	Vol. IX, No. 35			1		
11/14/08	Shady Spring ES	No water	12:15	Vol. IX, No. 38			1		
11/20/08	Prettyboy ES	Power outage	9:30	Vol. IX, No. 40		1			
11/25/08	Golden Ring MS	No water	9:30	Vol. IX, No. 42			1		
12/1/08	Southwest Academy	No water	9:30	Vol. IX, No. 44			1		
				TOTALS		2	9	0	0

Closed Circuit Television (CCTV) Listing

GE IP CCTV Systems		Wave Reader CCTV Program		GE IP CCTV Systems Playground Cameras	
Locations Viewable By Remote Station (ARK & IR)		Locations Viewable By Remote Station (ARK)		Locations Available by Remote (IR)	
1	Arbutus MS	1	Catonsville HS	1	Arbutus ES
2	Carver Tech	2	Cockeysville Grounds	2	Balto. Highlands ES
3	Catonsville Alt	3	Dundalk HS**	3	Battle Grove ES
4	Catonsville MS	4	EVT*	4	Battle Monument ES
5	Chesapeake HS	5	Kenwood HS**	5	Bear Creek ES
6	Cockeysville MS	6	Lansdowne HS	6	Berkshire ES
7	Deep Creek	7	Milford Mill Academy	7	Dundalk ES
8	Deer Park MS	8	New Town HS*	8	Edmondson Heights ES
9	Dulaney HS	9	Overlea HS	9	Essex ES
10	Dumbarton MS	10	Owings Mills HS	10	Featherbed Lane ES
11	Dundalk MS	11	Parkville HS	11	Fullerton ES
12	Franklin HS	12	Perry Hall HS	12	Glyndon ES
13	Franklin MS	13	Pikesville MS**	13	Grange ES
14	General Stricker	14	Pulaski Park 9610	14	Halstead Academy
15	Golden Ring	15	Randallstown HS*	15	Hawthorne ES
16	Hereford HS	16	Rosedale Alt**	16	Hebbville ES
17	Hereford MS	17	Woodholme ES	17	Hillcrest ES
18	Holabird MS			18	Johnnycake ES
19	Lansdowne MS			19	Joppa View ES
20	Loch Raven Academy			20	Lansdowne ES
21	Loch Raven HS			21	Mars Estates
22	Meadowood Ctr			22	Middlesex ES
23	Middle River			23	Milbrook ES
24	Old Court MS			24	Norwood ES
25	Parkville MS			25	Pinewood ES
26	Patapsco HS			26	Red House Run ES
27	Perry Hall MS			27	Riverview ES
28	Pikesville HS			28	Sandalwood ES
29	Pikesville MS			29	Sandy Plains ES
30	Pine Grove MS			30	Scotts Branch ES
31	Ridgeley MS			31	Summitt Park ES
32	Rosedale Alternative			32	Victory Villa ES
33	SAIM /Crossroads Center			33	Winfield ES
34	Sollers Point			34	Woodbridge ES
35	Southwest Academy			35	Woodmoor ES
36	Sparrows Point HS/MS				
37	Stemmers Run MS				
38	Sudbrook Middle Magnet				
39	Vincent Farms ES				
40	Western Vo				
41	Windsor Mills MS				
42	Woodlawn HS				
43	Woodlawn MS				

Notes

* There are three locations that have site based viewing only

**There are four locations at this time that are operating off of both the GE and Wavereader CCTV Camera Systems

Card Access Listing

Arbutus ES	Franklin MS	Mars Estates ES	Rosedale Center
Arbutus MS	Franklin HS (new wing)	Meadowood Center	Scotts Branch ES
Balto Highlands ES	Gen'l Stricker MS	McCormick ES	Seneca ES
Battle Grove ES	Glenmar ES	Milbrook ES	SAIMS School
Battle Monument ES	Glyndon ES	Middle River MS	Seven Oaks ES
Bedford ES	Golden Ring MS	Middlesex ES	Shady Spring ES
Campfield Center	Grange ES	Oakleigh ES	Southwest Acad
Carney ES	Greenwood ESS	Old Court MS	Sparks ES
Carroll Manor ES	Greenwood Mansion	Parkville MS	Stemmers Run MS
Carver Center	Gunpowder ES	Perry Hall ES	Stoneleigh ES
Catonsville Alt	Halethorpe ES	Perry Hall MS	Sudbrook Magnet
Catonsville MS	Halstead Academy	Pikesville MS	Timber Grove ES
Chadwick ES	Hampton ES	Pine Grove ES	Timonium Sppt Srv
Chapel Hill ES	Harford Hills ES	Pine Grove MS	Vincent Farms
Chase ES	Hawthorne ES	Pleasant Plains ES	Villa Cresta ES
Chatsworth School	Hereford MS	Pot Spring ES	Wellwood ES
Cockeysville MS	Hernwood ES	Prettyboy ES	Westchester ES
Cockeysville WHouse	Holabird MS	Pulaski DRAA	White Oak School
Cromwell Valley	Johnnycake ES	Pulaski Park 9610	Winands ES
Deep Creek MS	Joppaview ES	Randalstown ES	Windsor Mill MS
Deer Park MS	Kingsville ES	Red House Run ES	Woodbridge ES
Dumbarton MS	Lansdowne MS	Reisterstown ES	Woodholme ES
Dundalk MS	Loch Raven MS	Riderwood ES	Woodlawn HS
Eastwood Center	Logan ES	Ridgely MS	Woodlawn MS
Featherbed Lane ES	Lutherville ES	Riverview ES	Woodmoor ES
Franklin ES	Maiden Choice Sch	Rodgers Forge ES	

Notes

There are 84 CASI Card Systems up and running and Pulaski is managing the cards

There are approximately six AMAG Card Systems that can no longer be updated

There are approximately five KERI Card/Keyscan Card Systems operational & site based managed

There is one RADIONICS Card Access System, its used at the Pulaski Park Offices, also site based managed

School Resource Officer Distribution

<i>Name of School</i>	<i>Number of School Resource Officers (SRO)</i>
Arbutus Middle	1
Carver Center for Arts/Tech	1
Catonsville High	1
Catonsville Middle	1
Chesapeake High	2
Crossroads Center	1
Deep Creek Middle	1
Deer Park Middle Magnet	1
Dulaney High	1
Dundalk High	2
Dundalk Middle	1
Eastern Technical High	1
Franklin High	1
Franklin Middle	1
General John Stricker Middle	1
Golden Ring Middle	1
Hereford High	1
Holabird Middle	1
Kenwood High	2
Lansdowne High	1
Lansdowne Middle	1
Loch Raven Academy	1
Loch Raven High	1
Middle River Middle	1
Milford Mill Academy	2
New Town High	1
Old Court Middle	1
Overlea High	2
Parkville High	2
Parkville Middle	1
Patapsco High	1
Perry Hall High	1
Perry Hall Middle	1
Pikesville High	1
Pikesville Middle	1
Pine Grove Middle	1
Randallstown High	2
Southwest Academy	1
Stemmers Run Middle	1
Towson High	1
Western School of Technology	1
Windsor Mill Middle	1
Woodlawn High	2
Woodlawn Middle	1
TOTAL	52